CLEAR ACRYLIC GLOSS SEALER

Glass Lucido

Dilute with 30% water

Clear acrylic sealer for the gloss finishing of compatible marmorino surfaces. Apply by brush or roller to a surface suitable for the specified system. Assess gloss and any colour change in the coating on a sample.

Intended uses

- Protective and decorative treatment of marmorino.
- Surfaces requiring a clear gloss finish.
- Sample panels for checking gloss and colour changes.

Product data

Property	Value / instruction
Product type	Clear acrylic sealer
Preparation for use	Dilute with 30% water
Substrate	Marmorino compatible with the treatment
Final appearance	Glossy and transparent
Specified tools	Brush or roller
Pack size	1 litre
Recommended interval between coats	8 hours

Antonio Liso · Via Sempione 27 · 20021 Baranzate (MI), Italy
www.decoriamonoi.it

Preparation and application

1. Check the background

Check that the marmorino is dry and suitable. The surface must be stable and clean, with no residues incompatible with the protective treatment.

2. Dilute the product

Prepare Glass Lucido with 30% water. Mix the material evenly before application.

3. Apply the finish

Apply with a brush or roller, spreading the product evenly. An 8-hour wait is recommended between coats; check actual dryness before recoating.

4. Assess the appearance

A test on the actual material allows gloss, absorption and possible colour changes to be checked. Assess the sample with the complete specified system.

Application notes

Reference dilution: 30% water.

Storage

Store in the tightly closed original container in a suitable place, protected from frost, direct sunlight and sources of heat. Reseal carefully after dispensing and follow the instructions on the label.

Safety

Read the product label and Safety Data Sheet before use. Wear the specified personal protective equipment and work with adequate ventilation. Do not release residues into the environment.

Document reference

English translation of the Italian technical data sheet currently published at Decoriamonoi.it. Italian source: 01 / 16.11.2026. English edition: 01 / 18 November 2026. The technical values, stated test scope and application limitations of the Italian source are retained.

Technical enquiries: antonioliso@me.com · +39 349 344 2676 · www.antonioliso.com